

Amendments to the Claims

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Previously Presented) A method for feeding an infant with milk equivalent infant formula, the method comprising:

(a) feeding the infant by fore-milk equivalent infant formula; and

(b) feeding the infant by hind-milk equivalent infant formula, wherein said feeding by fore-milk equivalent infant formula and said feeding by hind-milk infant formula equivalent are done sequentially during the same feeding session.

2. (Previously Presented) The method of claim 1, wherein said fore-milk equivalent infant formula has a volume of 30-60% of a total meal fed to the infant and a percentage of fat of 2.5-3.5%, and said hind-milk equivalent infant formula has a volume of 40-70% of the total meal and a percentage of fat of 3.7-5.5%.

3. (Previously Presented) The method of claim 1, wherein said feeding is performed either by feeding said fore-milk equivalent infant formula and said hind-milk equivalent

infant formula one after another or by first feeding said fore-milk equivalent infant formula which is gradually admixed with said hind-milk equivalent infant formula.

4. (Previously Presented) The method of claim 2, wherein the percentage of said fore-milk equivalent infant formula in the total meal volume is 31-47% and the fat content therein is 2.8%-3.3%, and the percentage of said hind-milk equivalent infant formula in the total meal volume is 53 - 67% and the fat content therein is 4.5% - 5%.

5. (Previously Presented) The method of claim 4, wherein the percentage of said fore-milk equivalent infant formula in the total meal is 40% and the fat content therein is 3%, and the percentage of said hind-milk equivalent infant formula in the total meal volume is 60% and the fat content therein is 4.8%.

6. (Previously Presented) The method of claim 1, wherein said feeding is performed using two bottles, one being filled with said fore-milk equivalent infant formula and one being filled with said hind-milk equivalent infant formula, the contents of said bottles being forwarded one after the other.

7. (Previously Presented) The method of claim 1, wherein said feeding is performed with a bottle which is divided into two compartments, one being filled with said fore-milk equivalent infant formula and the other being filled with said hind-milk equivalent infant formula, the bottle being designed in such a manner enabling the infant to consume at first said fore-milk equivalent infant formula and thereafter said fore-milk equivalent infant formula gradually admixed with said hind-milk equivalent infant formula.

8. (Withdrawn) A kit for feeding an infant with milk equivalent, the kit comprising:

(a) a first container containing a fore-milk equivalent formula; and

(b) a second container containing a hind-milk equivalent formula.

9. (Withdrawn) The kit of claim 8, wherein said fore-milk equivalent formula has a percentage of fat of 2.5%-3.5%, and said hind-milk equivalent formula has a percentage of fat of 3.7%-5.5%.

10. (Withdrawn) The kit of claim 8, wherein said fore-milk equivalent formula has a percentage of fat of 2.8-3.3%, and said hind-milk equivalent formula has a percentage of fat of 4.5-5%.

11. (Withdrawn) The kit of claim 8, wherein said fore-milk equivalent formula has a percentage of fat of 3%, and said hind-milk equivalent formula has a percentage of fat of 4.8%.

12. (Withdrawn) The kit of claim 8, wherein an amount of said hind-milk equivalent formula in the kit is between 1.5 and 2.3 fold an amount of said fore-milk equivalent formula in the kit.

13. (Withdrawn) The kit of claim 8, wherein said foremilk equivalent formula and said hind-milk equivalent formula is each independently selected from the group consisting of a soy base milk equivalent formula and milk base milk equivalent formula.

14. (Withdrawn) The kit of claim 8, wherein said fore-milk equivalent formula and said hind-milk equivalent formula is each independently selected from the group consisting of a powder milk equivalent and a liquid milk equivalent formula.

15. (Previously Presented) The method of claim 1, wherein said feeding the infant by fore-milk equivalent is done prior to said feeding the infant by hind-milk equivalent.

16. (New) A method for feeding an infant with milk equivalent infant formula, the method comprising:

(a) feeding the infant by fore-milk equivalent infant formula; and

(b) feeding the infant by hind-milk equivalent infant formula, wherein said feeding by fore-milk equivalent infant formula and said feeding by hind-milk infant formula equivalent are done sequentially during the same feeding session,

wherein said fore-milk equivalent infant formula has a volume of 30-60% of a total meal fed to the infant and a percentage of fat of 2.5-3.5%, and said hind-milk equivalent infant formula has a volume of 40-70% of the total meal and a percentage of fat of 3.7-5.5%,

wherein said feeding is performed either by feeding said fore-milk equivalent infant formula and said hind-milk equivalent infant formula one after another or by first feeding said fore-milk equivalent infant formula which is subsequently gradually admixed with said hind-milk equivalent infant formula, and

wherein said feeding is performed using either two bottles or with a bottle which is divided into two compartments, one said bottle or one said compartment being filled with said fore-milk equivalent infant formula, and

another of said two bottles or another of said two compartments being filled with said hind-milk equivalent infant formula; and wherein, when said feeding is performed using said bottle divided into two compartments, said bottle is constructed such that the infant is able to consume at first said fore-milk equivalent infant formula and thereafter said fore-milk equivalent infant formula gradually admixed with said hind-milk equivalent infant formula.